

L Number	Hits	Search Text	DB	Time stamp
-	5227	data adj integrity	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:01
-	380	data adj integrity and manag\$4 adj data	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:09
-	44	data adj integrity and manag\$4 adj data and manag\$4 adj file	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:14
-	38	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:27
-	34	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and external	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:11
-	11	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and external and data with (copy copied copies) with file	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:12
-	6	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and external and data with (copy copied copies) with file and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:35
-	5	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and external and data with (copy copied copies) with file and meta\$data and relational	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:19
-	0	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and external and data with (copy copied copies) with file and meta\$data and relational and acid adj protocol	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:14
-	0	data adj integrity and manag\$4 adj data and manag\$4 adj file and meta\$data and acid with protocol	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:14
-	0	acid adj protocol	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:15
-	0	acid with protocol	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:15
-	0	acid same protocol	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:17
-	44	atomicity with consistency with isolation with durability	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:25
-	38	atomicity with consistency with isolation with durability and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:18
-	26	atomicity with consistency with isolation with durability and acid and protocol	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:18
-	0	atomicity with consistency with isolation with durability and acid adj protocol	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:02
-	8	atomicity with consistency with isolation with durability and acid same protocol	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:25
-	0	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and external and data with (copy copied copies) with file and meta\$data and relational and atomicity with consistency with isolation with durability	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:20

-	2	atomicity with consistency with isolation with durability and acid same protocol and data with integrity	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:23
-	2	atomicity with consistency with isolation with durability and acid same protocol and data with integrity and manag\$4 with data and file	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:23
-	34	atomicity with consistency with isolation with durability and acid same (protocol propt\$4)	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:25
-	3	atomicity with consistency with isolation with durability and acid same (protocol propt\$4) and relational and external with (source device)	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:27
-	0	atomicity with consistency with isolation with durability and acid same (protocol propt\$4) and relational and external with (source device) and data with integrity	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:27
-	17	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and acid adj (protocol propt\$4) and external	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:28
-	0	data adj integrity and manag\$4 adj data and manag\$4 adj file and receiv\$4 with data and external and data with (copy copied copies) with file and meta\$data and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:35
-	25	data adj integrity and acid adj (propt\$4 protocol)	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:37
-	0	data adj integrity and acid adj (propt\$4 protocol) and transfer and data with (copy copies copied) with external	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:38
-	17	data adj integrity and acid adj (propt\$4 protocol) and transfer and data with (copy copies copied) andexternal	USPAT; EPO; JPO; IBM_TDB	2003/05/22 15:39
-	0	data adj integrity and acid and data adj system and file adj system and external adj (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 10:54
-	0	data adj integrity and acid and data adj system and file adj system and external adj (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 10:54
-	16	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 10:55
-	16	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and wip\$4 and transfer and rename	USPAT; EPO; JPO; IBM_TDB	2003/05/23 10:55
-	0	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and wip\$4 and transfer and rename	USPAT; EPO; JPO; IBM_TDB	2003/05/23 10:57
-	16	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:17

-	0	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication adj device	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:19
-	16	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:20
-	0	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter with copy\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:20
-	0	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter same copy\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:21
-	16	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:21
-	0	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter with anti\$virus	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:22
-	0	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter and anti\$virus	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:22
-	16	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter and virus	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:22
-	0	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter and virus with (protect\$4 prevent\$4)	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:23

-	16	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$data with interpret\$4 and back\$up and relational with data\$base and cop\$4 and transfer and rename and delete and communication and filter and virus with scan\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:27
-	0	data adj integrity.ti. and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:28
-	2	data adj integrity.ab. and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:28
-	0	data adj integrity and relaitonal adj data\$base	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:48
-	405	data adj integrity and relational adj data\$base	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:49
-	23	data adj integrity and relational adj data\$base and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:49
-	19	data adj integrity and relational adj data\$base and acid and copy\$4 and back\$up	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:50
-	19	data adj integrity and relational adj data\$base and acid and copy\$4 and back\$up and retriev\$4 and recei\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 11:50
-	19	data adj integrity and relational adj data\$base and acid and copy\$4 and back\$up and retriev\$4 and recei\$4 and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:05
-	19	data adj integrity and relational adj data\$base and acid and copy\$4 and back\$up and retriev\$4 and recei\$4 and meta\$data and manag\$4 with data with system	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:06
-	34667	integrity and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:54
-	103	integrity and acid adj (protocol propert\$4)	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:54
-	173	integrity and acid and receiv\$4 with data and external with source	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:58
-	51	integrity and acid and receiv\$4 with data with external	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:55
-	2	integrity and acid and receiv\$4 with data with external and copy with file with data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:56
-	2	integrity and acid and receiv\$4 with data with external and copy and data adj system and file adj system	USPAT; EPO; JPO; IBM_TDB	2003/05/27 10:31
-	0	integrity and acid and receiv\$4 with data with external and copy and data adj system and file adj system and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 13:57
-	245	integrity and acid and receiv\$4 with data and external with (source host machine server device resource)	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:03
-	49	integrity and acid and receiv\$4 with data and copy with data and external with (source host machine server device resource)	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:00
-	16	integrity and acid and receiv\$4 with data and copy with data and external with (source host machine server device resource) and meta\$data and relational and data\$base and communication	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:03

-	27	integrity and acid and receiv\$4 with data and copy with data and external with (source host machine server device resource) and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:01
-	16	integrity and acid and receiv\$4 with data and copy with data and external with (source host machine server device resource) and meta\$data and relational and data\$base	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:02
-	49	integrity and acid and receiv\$4 with data and external with (source host machine server device resource) and copy with data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:06
-	63	integrity and acid and receiv\$4 same data and external with (source host machine server device resource) and copy same data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:07
-	29	integrity and acid and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:08
-	123	integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:09
-	46	integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data and relational with data\$base and ensur\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:09
-	45	integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data and relational with data\$base and ensur\$4 and retriev\$4 with data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:11
-	45	integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data and relational with data\$base and ensur\$4 and retriev\$4 with data not "bowman-amuah".as.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:11
-	25	integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data and relational with data\$base and ensur\$4 and retriev\$4 with data not "bowman-amuah".in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:11
-	25	integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data and relational with data\$base and ensur\$4 and retriev\$4 with data not "bowman-amuah".in. not ginter.in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:12
-	17	integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data and relational with data\$base and ensur\$4 and retriev\$4 with data not ("bowman-amuah" guheen underwood elliott).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:14
-	8	data with integrity and receiv\$4 same data and external with (source host machine server device resource) and copy same data and meta\$data and relational with data\$base and ensur\$4 and retriev\$4 with data not ("bowman-amuah" guheen underwood elliott).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:15

-	7	data with integrity and receive\$4 same data and external with (source host machine server device resource) and copy same data and meta\$base and relational with data\$base and ensure\$4 and retrieve\$4 with data not ("bowman-amuah" guheen underwood elliott haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:16
-	4	data with integrity and receive\$4 with data and external with (source host machine server device resource) and copy with data and meta\$base and relational with data\$base and ensure\$4 and retrieve\$4 with data not ("bowman-amuah" guheen underwood elliott haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:52
-	0	data with integrity and receive\$4 with data with external with (source host machine server device resource) and copy with data and meta\$base and relational with data\$base and ensure\$4 and retrieve\$4 with data not ("bowman-amuah" guheen underwood elliott haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:54
-	0	data with integrity and receive\$4 with data with external with (source host machine server device resource) and copy with data and meta\$base and relational with data\$base and retrieve\$4 with data not ("bowman-amuah" guheen underwood elliott haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:54
-	504	manag\$4 with data and integrity and relational with data\$base and retrieve\$4 with data not ("bowman-amuah" guheen underwood elliott haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:55
-	17	manag\$4 with data and integrity and acid and relational with data\$base and retrieve\$4 with data not ("bowman-amuah" guheen underwood elliott haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 14:55
-	4	manag\$4 with data and integrity and acid and relational with data\$base and receive with (data information) and copy with (data information record) and retrieve\$4 with data not ("bowman-amuah" guheen underwood elliott haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:03
-	29	not ("bowman-amuah" guheen underwood elliott haswell).in. and manag\$4 with data and manag\$4 with file and integrity and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:04
-	14	not ("bowman-amuah" guheen underwood elliott haswell).in. and manag\$4 with data and manag\$4 with file and integrity and acid and receive\$4 with data and copy\$4 with data and external	USPAT; EPO; JPO; IBM_TDB	2003/05/27 08:29
-	13	not ("bowman-amuah" guheen underwood elliott haswell).in. and manag\$4 with data and manag\$4 with file and integrity and acid and receive\$4 with data and copy\$4 with data and external and retrieve	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:05
-	14	not ("bowman-amuah" guheen underwood elliott haswell).in. and manag\$4 with data and manag\$4 with file and integrity and acid and receive\$4 with data and copy\$4 with data and external and retrieve\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:06
-	1	not ("bowman-amuah" guheen underwood elliott haswell).in. and manag\$4 with data and manag\$4 with file and integrity and acid and receive\$4 with data and copy\$4 with data and external and retrieve\$4 and meta\$base and relational and data\$base	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:06

-	12	not ("bowman-amuah" guheen underwood elliott haswell).in. and manag\$4 with data and manag\$4 with file and integrity and acid and receiv\$4 with data and copy\$4 with data and external and retriev\$4 and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:08
-	1	not ("bowman-amuah" guheen underwood elliott ginter haswell).in. and manag\$4 with data and manag\$4 with file and integrity and acid and receiv\$4 with data and copy\$4 with data and external and retriev\$4 and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:11
-	1	manag\$4 with data and manag\$4 with file and integrity and acid and receiv\$4 with data and copy\$4 with data and external and retriev\$4 and meta\$data not ("bowman-amuah" guheen underwood elliott ginter haswell).in.	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:18
-	762	copy\$4 with data with system with file	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:18
-	3	copy\$4 with (data informaiton record file) with data adj system with file adj system	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:20
-	3	copy\$4 with (data information record file) with data adj system with file adj system	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:23
-	18668	receiv\$4 with data with external	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:24
-	155	receiv\$4 with data with external and (copy copies copied) with data with file	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:25
-	6	receiv\$4 with data with external and (copy copies copied) with data with file and meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:33
-	1	receiv\$4 with data with external and (copy copies copied) with data with file and meta\$data and integrity and acid	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:26
-	3	receiv\$4 with data with external and (copy copies copied) with data with file and meta\$data and integrity	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:26
-	3	receiv\$4 with data with external and (copy copies copied) with data with file and meta\$data and data\$base	USPAT; EPO; JPO; IBM_TDB	2003/05/23 15:33
-	2	integrity and acid and receiv\$4 with data with external and copy and data adj system and file adj system and request\$4 and retriev\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/27 10:33
-	2	integrity and acid and receiv\$4 with data with external and copy and data adj system and file adj system and request\$4 with retriev\$4	USPAT; EPO; JPO; IBM_TDB	2003/05/27 10:34
-	5563	data adj integrity	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:01
-	0	data adj integrity WITH COP\$4 WITH META\$DATA	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:03
-	14	data adj integrity WITH META\$DATA	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:03
-	0	data adj integrity WITH META\$DATA and cop45	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:04
-	14	data adj integrity WITH META\$DATA and cop\$5	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:04
-	1	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:05

-	1	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:07
-	2	data adj integrity WITH META\$DATA and cop\$5 and status	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:06
-	0	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and state adj flag and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:07
-	0	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and (state status) adj flag and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:07
-	0	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and (state status) with flag and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:08
-	0	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and (state status) same flag and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:08
-	0	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag and relational adj data\$base	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:08
-	0	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag and relational with data\$base and file adj system	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:09
-	1	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag and relational with data\$base	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:11
-	116	meta\$data with (status state) with data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:12
-	0	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag and relational with data\$base and meta\$data with flag	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:11
-	9	meta\$data with (status state) with data and data adj integrity	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:13
-	1	meta\$data with (status state) with data and data adj integrity with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:33
-	2	meta\$data with (status state) with data and data adj integrity same meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:13
-	7	meta\$data with (status state) with data and integrity with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:16
-	5	meta\$data with (status state) with data and integrity with meta\$data and (flag tag indicator)	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:16
-	2	meta\$data with (status state) with data and integrity with meta\$data and (flag tag indicator) with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:28
-	2	meta\$data with (status state) with data and integrity with meta\$data and (flag tag indicator) with meta\$data and meta\$data with (state status condition)	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:37
-	1	meta\$data with (status state) with data and data with integrity with meta\$data and (flag tag indicator) with meta\$data and meta\$data with (state status condition)	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:30
-	1	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:33

-	5	meta\$data with (status state) with data and integrity with meta\$data and (flag tag indicator) and meta\$data with (state status condition)	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:40
-	43	acid adj protocol	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:40
-	0	acid adj protocol and relational adj data\$base	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:41
-	0	acid adj protocol and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:41
-	32	acid with protocol and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:42
-	27	acid with protocol and relational with data\$base	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:42
-	3	acid with protocol and relational with data\$base and integrity with data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:54
-	0	acid with protocol and relational with data\$base and integrity with data and acid with relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:44
-	0	acid with protocol and relational with data\$base and integrity with data and acid same relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:44
-	3	acid with protocol and relational and integrity with data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:54
-	0	acid with protocol same relational and integrity with data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 11:28
-	3	acid with protocol and relational and integrity with data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:54
-	32	acid with protocol and relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:55
-	0	acid with protocol and relational and meta\$data with relational	USPAT; EPO; JPO; IBM_TDB	2003/11/20 13:55
-	204	relational and acid with protocol	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 13:59
-	2	6199068.pn. 6453325.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:13
-	2	("6199068" "6453325").pn. and integrity	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:14
-	0	("6199068" "6453325").pn. and integrity and meta\$data and meta\$data with integrity	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:14
-	1	("6199068" "6453325").pn. and integrity and meta\$data	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:15
-	1	("6199068" "6453325").pn. and integrity and meta\$data and (state status)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:15
-	1	("6199068" "6453325").pn. and integrity and meta\$data and (state status) with meta\$data	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:16

-	1	("6199068" "6453325").pn. and integrity and meta\$data and (state status) with meta\$data and (flag tag indicat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:16
-	0	("6199068" "6453325").pn. and integrity and meta\$data and (state status) with meta\$data and (flag tag indicat\$4) with meta\$data with (status state)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:17
-	1	("6199068" "6453325").pn. and integrity and meta\$data and (state status) with meta\$data and (flag tag indicat\$4) with meta\$data	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/20 15:17
-	1	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag	USPAT; EPO; JPO; IBM_TDB	2003/11/20 15:41
-	1	data adj integrity WITH META\$DATA and cop\$5 and (status state) with meta\$data and flag and indicat\$4 with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/20 15:45
-	32	meta\$data with (status state) with indicat\$4	USPAT; EPO; JPO; IBM_TDB	2003/11/20 15:45
-	10	meta\$data with (status state) with indicat\$4 and integrity	USPAT; EPO; JPO; IBM_TDB	2003/11/20 15:45
-	1	meta\$data with (status state) with indicat\$4 and integrity with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 08:43
-	15	meta\$data with status with indicat\$4	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:03
-	4	meta\$data with status with indicat\$4 and integrity	USPAT; EPO; JPO; IBM_TDB	2003/11/21 08:48
-	2	meta\$data with status with indicat\$4 and integrity and flag	USPAT; EPO; JPO; IBM_TDB	2003/11/21 08:55
-	0	meta\$data with status with indicat\$4 and integrity and flag with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 08:50
-	0	meta\$data with status with indicat\$4 and integrity and flag same meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 08:50
-	2	meta\$data with status with indicat\$4 and integrity and flag with (status state)	USPAT; EPO; JPO; IBM_TDB	2003/11/21 08:56
-	0	meta\$data with status with indicat\$4 and state adj flag	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:04
-	0	meta\$data with status with indicat\$4 and state with flag	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:04
-	7170	(state status) adj flag	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:04
-	3	(state status) adj flag with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:05
-	3	(state status) adj flag with meta\$data and (state status) with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:06
-	0	(state status) adj flag with meta\$data and (state status) with meta\$data and integrity with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:06
-	2	(state status) adj flag with meta\$data and (state status) with meta\$data and integrity	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:29
-	0	(state status) adj flag with meta\$data and (state status) with meta\$data and integrity with meta\$data	USPAT; EPO; JPO; IBM_TDB	2003/11/21 09:26

-	1	(state status) adj flag with meta\$ data and (state status) with meta\$ data and integrity and meta\$ data with (indicat\$ show\$4 determin\$4)	USPAT; EPO; JPO; IBM_TDB	2003/11/21 10:00
-	1	(state status) adj flag with meta\$ data and (state status) with meta\$ data and integrity and meta\$ data with (indicat\$ show\$4 determin\$4) and meta\$ data with updat\$4	USPAT; EPO; JPO; IBM_TDB	2003/11/21 10:00
-	19	acid with protocol and relational with data\$base and integrity	USPAT; EPO; JPO; IBM_TDB	2003/11/21 11:29
-	27	data adj integrity and acid and data adj system and file adj system and external with (source resource) and retriev\$4 and receiv\$4 and meta\$ data with interpret\$4 and back\$up and relational with data\$ base and cop\$4 and transfer and rename and delete	USPAT; EPO; JPO; IBM_TDB	2003/11/21 11:30
-	455119	(transfer\$4 mov\$4 transmit\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:03
-	5920	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:04
-	204	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:04
-	9	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:04
-	9	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data with system and file with system	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:05
-	2	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:05
-	2	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system and successful	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:05
-	0	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system and successful\$4 and unsuccessful\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:06
-	0	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system and successful\$4 and unsuccessful\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:06
-	2	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$ data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system and successful\$4 and fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:06

-	0	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system and success\$5 and fail\$4 and meta\$data with success\$5 with fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:07
-	2	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system and success\$5 and fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:09
-	0	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data adj system and file adj system and (transfer\$4 mov\$4 transmit\$4) with success\$5 and fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:10
-	9	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data with system and file with system and success\$5 and fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:10
-	1	(transfer\$4 mov\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4) with success\$5 and fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:11
-	8	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:12
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 with fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:12
-	8	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:17
-	8	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and error with handl\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:18

-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$4data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and error with handl\$4 with (step process routine)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:18
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$4data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and error with handl\$4 with (flag step process routine)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:19
-	8	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$4data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and error with handl\$4 and flag	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:19
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$4data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and error with handl\$4 and flag and delet\$4 with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:19
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$4data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and error with handl\$4 and flag and (delet\$4 discard\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:20
-	1	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$4data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and error with handl\$4 and flag and (delet\$4 remov\$4 discard\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:22

-	1	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and (delet\$4 remov\$4 discard\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:24
-	1	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and (remov\$4 delete\$4 discard\$4) with (data item information)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:29
-	8	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag	USPAT; EPO; JPO; IBM_TDB	2004/06/03 10:08
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and state with flag	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:33
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and (status state) with flag	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:34

-	1	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4) with fail\$4 and (delet\$4 discard\$4 remov\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:47
-	1	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and (delet\$4 discard\$4 remov\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:47
-	1	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and (delet\$4 discard\$4 remov\$4) with data and integrity	USPAT; EPO; JPO; IBM_TDB	2004/06/02 10:48
-	12	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and (delet\$4 discard\$4 remov\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/03 10:32
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and meta\$data with data with (associat\$4 indicat\$4 identif\$4)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 12:10
-	8	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag	USPAT; EPO; JPO; IBM_TDB	2004/06/03 10:31
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and meta\$data with (success\$4 fail\$4)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 12:23

-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and meta\$data same (success\$4 fail\$4)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 12:23
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and (delet\$4 discard\$4 remov\$4) with data and meta\$data with (success\$4 fail\$4)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 12:24
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with (file data information) and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 import\$4 export\$4 insert\$4) and meta\$data with (success\$4 fail\$4) and (delet\$4 discard\$4 remov\$4) with data	USPAT; EPO; JPO; IBM_TDB	2004/06/02 12:46
-	1	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with (file data information) and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 import\$4 export\$4 insert\$4) and meta\$data with (success\$4 fail\$4)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 12:52
-	1	meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 import\$4 export\$4 insert\$4) and meta\$data with (success\$4 fail\$4)	USPAT; EPO; JPO; IBM_TDB	2004/06/02 12:52
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and flag with copy	USPAT; EPO; JPO; IBM_TDB	2004/06/03 10:11
-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and meta\$data with copy	USPAT; EPO; JPO; IBM_TDB	2004/06/03 10:20

-	0	(transfer\$4 mov\$4 deliver\$4 transmit\$4 export\$4 import\$4 insert\$4) with data and (maintain\$4 keep\$4 preserv\$4) with integrity and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4 export\$4 import\$4 insert\$4) and data with system and file with system and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with success\$5 and (transfer\$4 mov\$4 transmit\$4 deliver\$4 export\$4 import\$4 insert\$4) with fail\$4 and error with handl\$4 and flag and copy with location	USPAT; EPO; JPO; IBM_TDB	2004/06/03 10:23
-	5	(transfer\$4 mov\$4 deliver\$4 transmit\$4) with data and meta\$data with (start\$4 initiat\$4) with (transfer\$4 transmit\$4 mov\$4 deliver\$4) and (delet\$4 discard\$4 remov\$4) with data and filter\$4	USPAT; EPO; JPO; IBM_TDB	2004/06/03 10:35